

COMPLETE LABORATORY PUBLICATIONS

Marchetti, V, Krohne, TU, Friedlander, DF, and Friedlander, M. (2010). Stemming vision loss with stem cells. *J Clin Invest.* Sep 1;120(9):3012-21. PMID: PMC2929728.

Krohne, T.U., Bird, A. and Friedlander, M. (2010). Unilateral blurred vision associated with simultaneous macular and papillary edema in a 34-year-old male patient. *Ophthalmologe.* Nov 5 [Epub ahead of print].

Weidemann, A. Krohne, T.U., Aguilar, E., Kurihara, T., Takeda, N., Dorrell, M.I., Celeste Simon, M., Haase, V.H., Friedlander, M., Johnson, R.S. (2010). Astrocyte hypoxic response is essential for pathological but not developmental angiogenesis of the retina. *Glia.* Aug;58(10):1177-85. PMID: PMC2993327.

Friberg, T.R., Tolentino, M. and for the LEVEL Study Group (2010). Pegaptanib sodium as maintenance therapy in neovascular age-related macular degeneration: the LEVEL study. *Br J Ophthalmol* published online May 14, 2010. doi: 10.1136/bjo.2009.174946

Dorrell, M.I., Aguilar, E.A., Jacobson, R., Trauger, S., Friedlander, J.F., Suizdak, G. and M. Friedlander (2010). Maintaining retinal astrocytes normalizes revascularization and prevents vascular pathology associated with oxygen-induced retinopathy. *Glia* 58(1): 43-54. PMID: PMC2814838.

Clemons TE, Gillies MC, Chew EY, Bird AC, Peto T, Figueroa MJ, Harrington MW; MacTel Research Group (2010). Baseline characteristics of participants in the natural history study of macular telangiectasia (MacTel) MacTel Project Report No. 2. *Ophthalmic Epidemiol.* Jan-Feb;17(1):66-73.

Dorrell, M.I., Aguilar, E.A., Jacobson, R., Trauger, S., Friedlander, J.F., Suizdak, G. and Friedlander, M. (2010). Maintaining retinal astrocytes normalizes revascularization and prevents vascular pathology associated with oxygen-induced retinopathy. *Glia.* 58:43-54. PMID: PMC2814838.

Clemons TE, Gillies MC, Chew EY, Bird AC, Peto T, Figueroa M, Harrington MW; Macular Telangiectasia Research Group (2008). The National Eye Institute Visual Function Questionnaire in the Macular Telangiectasia (MacTel) Project. *Invest Ophthalmol Vis Sci.* 2008 Oct;49(10):4340-6. Epub 2008 Jun 27.

Dorrell, M.I., Aguilar, E.A., Jacobson, R., Yanes, O., Gariano, R., Heckenlively, J., Eyal Banin, E., Ramirez, E.G., Gasmi, M., Bird, A., Suizdak, G., and Friedlander, M. (2009). Treatment with antioxidants or neurotrophic factors preserves function in neurons damaged by neovascularization-associated oxidative stress. *J. Clin. Invest.* 119(3): 611-623. PMID: PMC2648679.

Schepke, L., Aguilar, E., Gariano, R.F., Hood J., Soll R., Yee, S., Noronha, G., Martin, M., Weis, S., Cheres, D.A. and Friedlander, M. (2008). Retinal vascular permeability

suppression by topical application of a novel VEGFR2/SRC kinase inhibitor in mice and rabbits J. Clin. Invest., 118(6):2337-46. PMID: PMC2381746.

Roos, K.P., Jordan, M.C., Fishbein, M.C., Ritter, M.R., Friedlander, M., Chang, H.C., Rahgozar, P., Han, T., Garcia, A., MacClellan, W.R., Ross, R.S., and K.D. Philipson. (2007). Hypertrophy and Heart Failure in Mice Overexpressing the Cardiac Sodium-Calcium Exchanger. Journal of Cardiac Failure 13:318-329.

Usitalo-Jarvinen, H , T. Kurokawa, B.M. Mueller, P. Andrade-Gordon, Friedlander, M., and W. Ruf. (2007). Role of Protease Activated Receptor 1 and 2 Signaling in Hypoxia-Induced Angiogenesis. Arteriosclerosis, Thrombosis, and Vascular Biology, 27:1456-1462.

Dorrell, M., Aguilar, E., Schepke, L., Barnett, F., and Friedlander, M. (2007). Combination angiostatic therapy completely inhibits ocular and tumor angiogenesis. Proc. Natl. Acad. Sci. 104:967-972.

Ritter, M., Banin, E., Aguilar E.A., Dorrell, M.I. Moreno S.K. and Friedlander, M (2006). Myeloid progenitors differentiate into microglia and promote vascular repair in a model of ischemic retinopathy. J. Clin. Invest. 116(12):3266-3276. PMID: PMC1636693.

Banin, E., Dorrell, M.I., Aguilar, E., Ritter, M.R., Aderman, C.M., Smith, A.C.H., Friedlander, J., and Friedlander, M. (2006). T2-TrpRS inhibits pre-retinal neovascularization and enhances physiological vascular regrowth in oxygen-induced retinopathy as assessed by a new method of quantification. Invest. Ophthal. Vis. Sci., 47(5):2125-34.

Jin, H., Aiyer, A., Su, J., Borgstrom, P., Stupack, D., Friedlander, M. And Varner, J. (2006). A homing mechanism for bone marrow derived progenitor cell recruitment to the neovasculature. J. Clin. Invest., 116(3):652-62.

Ritter, M., Reinisch, J., Friedlander, S.F., and Friedlander, M. (2006). Myeloid Cells in Infantile Hemangioma and a Possible Surrogate Model. Amer. J. Path. 168: 621-628. PMID: PMC1606494.

Friedlander S.F., Ritter M.R., Friedlander, M. (2005). Recent Progress in Our Understanding of the Pathogenesis of Infantile Hemangiomas. Lymphat Res Biol. 2005;3(4):219-225.

Ritter, M., Aguilar, E., Banin, E., Schepke, L., Uusitalo-Jarvinen, H. and Friedlander, M. (2005). Three Dimensional *In Vivo* Imaging of the Mouse Ocular Vasculature. Invest. Ophthal. Vis. Sci., 46:3021-26.

Henderson, S.A., Goldhaber, J.I., So, J.M., Han, T., Motter, C., Ngo, A., Chantawansri, C., Ritter, M.R., Friedlander, M., Nicoll, D.A., Frank, J.S., Jordan, M.C., Roos, , K.P., Ross, R.S., and Philipson, K.D., (2004). Functional Adult Myocardium in the Absence of

Na⁺-Ca²⁺ Exchange. Cardiac-Specific Knockout of NCX1. *Circ. Res.*, 95: 604 – 611.

Otani, A., Kinder, K., Hanekamp, S., Nussinowitz, S., Heckenlively, J., and Friedlander, M. (2004). Neurotrophic rescue of retinal degeneration by intravitreally injected adult bone marrow derived lineage⁻ hematopoietic stem cells. *J. Clinical Investigation*, 114:765-774. PMID: PMC516263.

Belting, M., Dorrell, M., Sandgren, S., Ahamad, J., Dorfleutner, D., Carmeliet, P., Mueller, B., Friedlander, M. and Ruf, W. (2004). Tissue factor signaling in angiogenesis. *Nature Medicine* 10:502-509.

Barnett, F.H., Scharer-Schusz Wood, M.M., Yu, X., Wagner, T.E. and Friedlander, M. (2004). Intra-arterial delivery of endostatin gene to brain tumors prolongs survival and alters tumor vessel ultrastructure. *Gene Therapy*, 11:1283-1289.

Campochiaro, P.A. and the C99-PKC412-003 Study Group (Sall, K., Puliafito, C., Duker, J., Friedlander, M., Kinyoun, J., Saperstein, D., Gottlieb, J., Garber, F., Cunha Vaz, J., Schmidt-Urfurth, U., Ferrone, P.J., and McMillan, T.A.). (2004). Reduction of diabetic macular edema by oral administration of the kinase inhibitor PKC412. *Investigative Ophthalmol. Vis. Sci.* 45:922-931.

Dorrell, M.I., Otani, A., Aguilar, E.A., Moreno, S. and Friedlander, M. (2004). Adult bone marrow-derived stem cells utilize R-cadherin to target sites of neovascularization in the developing retina. *Blood* 103: 3420-3427.

Dorrell, M.I., Aguilar, E. and Friedlander, M. (2004) Global gene expression analysis of the developing post-natal retina. *Investigative Ophthalmol. Vis. Sci.*, 45:1009-19.

Ritter, M.R., Hanekamp, S., Dorrell, M.I., Rubens, J., Ney, J., Friedlander, D.F., Bergman, J., Cunningham, B.J., Eichenfield, L., Reinisch, J., Cohen, S., Veccione, T., Holmes, R., Friedlander, S.F., and Friedlander, M. (2004). Identifying potential regulators of infantile hemangioma progression through large-scale expression analysis – A possible role for the immune system and IDO during involution. *Lymphatic Research and Biology* 1:291-299.

The Anecortave Acetate Clinical Study Group (J.S. Slakter, K. Binder, M. Blumenkranz, M. DeSmet, G. Fish, M. Friedlander, K. Gitter, B. Godley, A. Ho, H. Hudson, E. Van Kuijk, M. Lewis, P. Rosenfeld, S. Russell, F. Sabates, A. Schachat, U. Schmidt-Erfurth, S. Schwartz, L. Singerman, G. Soubrane, L. Yanuzzi, D.J. D'Amico, C. Regillo, W. Mieler, C. Schneebaum, C. Beasley, A. Ciardella, D. Orlock, M. Goldberg, J. Jerdan, S. Krueger, S. Luna, S. Robertson, E. Sullivan and P. Zilliox.). (2003). Anecortave Acetate as monotherapy for the treatment of subfoveal lesions in patients with exudative age-related macular degeneration (ARMD): 12 month clinical outcomes. *Ophthalmology*, 110:2372-84.

Gariano, R., Aguilar, E.A. and Friedlander, M. (2003). Endothelial Proliferation in Diabetic Retinal Microaneurysms. *Archives of Ophthalmology* 121:740-741.

The Anecortave Acetate Clinical Study Group (J.S. Slakter, K. Binder, M. Blumenkranz, M. DeSmet, G. Fish, M. Friedlander, K. Gitter, B. Godley, A. Ho, H. Hudson, E. Van Kuijk, M. Lewis, P. Rosenfeld, S. Russell, F. Sabates, A. Schachat, U. Schmidt-Erfurth, S. Schwartz, L. Singerman, G. Soubrane, L. Yanuzzi, D.J. D'Amico, C. Regillo, W. Mieler, C. Schneebaum, C. Beasley, A. Ciardella, D. Orlock, M. Goldberg, J. Jerdan, S. Krueger, S. Luna, S. Robertson, E. Sullivan and P. Ziliox.) (2003). Anecortave Acetate as monotherapy for the treatment of subfoveal lesions in patients with exudative age-related macular degeneration (ARMD): Interim (month 6) analysis of clinical safety and efficacy. *Retina* 23:14-23.

Heckenlively, J.R., Hawes, N.L., Friedlander, M., Nusinowitz, S., Ronald Hurd, R., Davisson, M. and Chang, B. (2003). Mouse model of subretinal neovascularization with choroidal anastomosis. *Retina*, 23(4):518-522.

Kanner, E., Friedlander, M. and Simon, S.M. (2003). Co-translational targeting and translocation of the amino terminus of opsin across the ER membrane requires GTP but not ATP. *J. Biol. Chem.* 278:7920-7926.

Von Seggern, D.J., Aguilar, E, Kinder, K. Fleck, S.K., Gonzalez Armas, J.C., Stevenson, S.C., Ghazal, P., Nemerow, G.R., and Friedlander, M. (2003). Selective *in vivo* targeting of photoreceptors or ciliary body by intravitreal injection of pseudotyped adenoviral vectors. *Molecular Therapy*, 7:27-34.

Dorrell, M., Aguilar de Diaz, E., and Friedlander, M. (2002). Developmental vascularization of the retina is mediated by a pre-existing astrocytic template and specific R-cadherin adhesion. *Investigative Ophthalmology and Visual Science*, 43: 3500-3510.

Otani, A., Kinder, K., Ewalt, K., Otero, F., Schimmel, P. and Friedlander, M. (2002). Bone marrow derived stem cells target retinal astrocytes and have pro- or anti-angiogenic activity. *Nature Medicine* 8: 1004-1010.

Kanner, E., Klein, I.K., Friedlander, M., and Simon, S.M. (2002). The amino terminus of opsin translocates "post-translationally" as efficiently as co-translationally. *Biochemistry* 41:7707-7715.

Ritter, M., Dorrell, M., Edmonds, J. Friedlander, S., and Friedlander, M. (2002). Insulin-like growth factor 2 and potential regulators of hemangioma growth and involution identified by large-scale expression analysis. *Proceedings National Academy of Sciences*, 99:7455-7460.

Strömblad, S, Fotedar, A., Brickner, H., Theesfeld, C., Aguilar de Diaz, E., Friedlander, M. and Cheresch, D.A. (2002). Loss of p53 compensates for β _v function in retinal neovascularization. *J Biol Chem.* 277(16):13371-4.

Otani, A., Slike, B., Dorrell, M. I., Hood, J., Kinder, K., Ewalt, K., Cheresch, D.A., Schimmel, P. and Friedlander, M. (2002). A fragment of human TrpRS as a potent antagonist of ocular angiogenesis. *Proceedings National Academy of Sciences*, 99:178-183. PMID: PMC117535.

Wakasugi, K., Slike, B., Ewalt, K., Hood, J., Otani, A., Ewalt, K.L., Friedlander, M., Cheresch, D.A., and Schimmel, P. (2002). A human aminoacyl-tRNA synthetase as a regulator of angiogenesis. *Proceedings National Academy of Sciences*, 99:173-177.

Barshop, B., Nyhan, W.L., Naviaux, R.K., McGowan, K.A., Friedlander, M. and Haas, R.H. (2000). Kearns-Sayre syndrome presenting as 2-oxoadipic aciduria. *Mol. Gen. Metabol.* 69:64-68.

McKiernan, C.J. and Friedlander, M. (1999). The retinal rod Na⁺/Ca²⁺,K⁺ exchanger contains a non-cleaved signal sequence required for translocation of the N-terminus. *J. Biol. Chem.* 274:38177-38182.

Brooks, P.C., Siletti, S., von Schalscha, T.L., Friedlander, M. and Cheresch, D.A. (1998). Disruption of angiogenesis by PEX, a non-catalytic metalloproteinase fragment with integrin binding activity. *Cell* 92:391-400.

Friedlander, M., Theesfeld, C.L., Sugita, M., Fruttiger, M., Thomas, M.A., Chang, S. and Cheresch, D.A. (1996). Involvement of integrins $\alpha_v\beta_3$ and $\alpha_v\beta_5$ in ocular neovascular diseases. *Proc. Natl. Acad. Sci. (U.S.A.)* 93:9764-9769.

Shaffer, R. and Friedlander, M. (1996). A method for the in vivo quantitation of angiogenesis in the rabbit corneal model. in "Molecular, Cellular and Clinical Aspects of Angiogenesis" (M.E. Maragoudakis, ed.), Plenum Press, New York.

Sahin-Toth, M., Kaback, R., Friedlander, M. (1996). Association between the amino and carboxy terminal halves of lactose permease is specific and mediated by multiple transmembrane domains. *Biochemistry*, 35:2016-2021.

Friedlander, M., Brooks, P., Shaffer, R., Kincaid, C., Varner, J., Cheresch, D. (1995). Two pathways of angiogenesis defined by homologous α_v integrins. *Science*, 270:1500-1502.

Sahin-Toth, M., Nicoll, D.A., Frank, J., Philipson, K., Friedlander, M. (1995). The cleaved N-terminal signal sequence of the cardiac sodium-calcium exchanger is not required for functional membrane integration. *Biochem. Biophys. Res. Comm.* 212:968-974.